
# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OUR GAS AND MINING




Fee
5. Lease Designation and Serial No.

	DIVISION OF	OIE, GAS, AND	WIIWIIWG				
APPLICATIO	N FOR PERM	AIT TO DRILL,	DEEPEN,	OR PLU	JG BACK	6. If Indian, Allottee	or Tribe Name
a. Type of Work	RILL XX	DEEPEN	 1	PLU	G BACK [	7. Unit Agreement Na	me
b. Type of Well	_		J			0 72 I No.	
Well K	Gas Well Otl	1er-	Zo	ngle	Multiple Zone	8. Farm or Lease Nar	пе
. Name of Operator	L COMPANY					9. Well No.	
. Address of Operator				<del>_</del>		1-2804	
4700 South 9t					84117	10. Field and Pool, or	Wildeat
Location of Well (Re		and in accordance with	any State requ	irements.*)	U	Jilleat Blue B	ench r Blk.
1983 At proposed prod. zor		FEL SNI	JÉ			Sec. 28, T3S	
4. Distance in miles an	nd direction from nea	rest town or post offic	e*			12. County or Parrish	13. State
3 Mile	s Northeast	of Duchesne,	Utah			Duchesne	Utah
15. Distance from propo- location to nearest				acres in lease		of acres assigned is well	
property or lease lin (Also to nearest drlg	. line, if any)			.60		640	
<ol> <li>Distance from proportion nearest well, drill or applied for, on th</li> </ol>	ling, completed,		19. Propos 10,00			y or cable tools Rotary	
1. Elevations (Show wh		c.)				22. Approx. date wo	rk will start*
5831 G	R.					December 2	0, 1981
23.		PROPOSED CA	SING AND CE	MENTING PR	OGRAM	•	
Size of Hole	Size of Casin			Setting Dept	h	Quantity of Ceme	
14 3/4	10 3/4	40.5#		1,000'		To surfac	
9 7/8 6 3/4	7 5/8 5.0	26.4 18#	<u>&amp; 29.7#</u>	7,500'		As necess As pecess	<del>-</del>
	Utex contro	ls the land w	ithin a 6	660 foot	radius of	this location	
·				in to the to			
ductive zone. If propose preventer program, if an	al is to drill or deep					sent productive zone and red and true vertical de	
Signed	Hans	Un	Title EXE	cutive S	Secretary		/11/81
(This space for Fede	ral or State office us	e)					
Permit No			Appr	oval APP	ROVED B	Y THE STAT	E
Approved by			Title	Or Mil	CAC A	IVISION OF	
Conditions of approv	al, if any:			DATI	L, GAS, A E: <i>! /4/</i>	ND MINING	
		*See Ins	tructions On	BY:	13 Ze	ash of	

### UTEX OIL COMPAR WELL LOCATION PLAT COUNTY 1-28C4

北 OF THE NEな OF LOCATED IN THE SECTION 28, T3S, R4W, U.S.B.&M.



#### LEGEND & NOTES

◆ FOUND ORIGINAL CORNER MONUMENTS USED FOR THIS SURVEY.

GENERAL LAND OFFICE PLAT WAS USED FOR REFERENCE AND CALCULATIONS.

#### SURVEYOR'S CERTIFICATE

I hereby certify that this plat was prepared from field notes of an actual survey performed by me, during which the shown monuments were found or established.

Jerry D. Allred, Registered Land

/ Surveyor, Cert. No. 3817 (Utah)




**JERRY D. ALLRED & ASSOCIATES** 

Surveying & Engineering Consultants

121 North Center Street P.O. Drawer C **DUCHESNE, UTAH 84021** (801) 738-5352

## UTEX DRILLING CO.

# RIG 1 BOP STACK



SERIES 1500 EQUIPMENT IS 5000 PSI RATED

NOT TO SCALE

#### UTEX OIL COMPANY

SUITE 41B 4700 SOUTH 9TH EAST SALT LAKE CITY, UTAH 84117 PHONE 801 - 262-6869

December 11, 1981

State of Utah Department of Natural Resources Division of Oil, Gas and Mining 4241 State Office Building Salt Lake City, Utah 84114



Gentlemen:

Enclosed please find the following:

- 1. Triplicate copies of Application for Permit to Drill the 1-28C4 well, located in the  $SW_{\frac{1}{4}}$  NE $_{\frac{1}{4}}$  Section 28 T3S, R4W, Duchesne County, Utah.
- 2. Triplicate copies of survey plat.
- 3. Triplicate copies of Right-of-Way and Use Boundry map.
  - 4. Triplicate copies of well layout plat.
  - 5. Triplicate copies of BOP drawing.

We trust this application is complete and in proper form for your rapid approval of our planned operations. If further information is required, please contact us at the above address or telephone number.


We hereby request that this APD and all other information submitted relative to this well be held confidential for the maximum allowable period of time.

Sincerely,

D. T. Hansen

JERRY D.

ALLRED



Beginning at a point which is South 44°15'52" West 2542.78 feet from the Northeast Corner of Section 28, Township 3 South, Range 4 West of the Uintah Special Base and Meridian;

Thence South 385 feet;

Thence West 510 feet;

Thence North 385 feet;

Thence East 510 feet to the Point of Beginning, containing 4.51 acres.

# DESCRIPTION OF RIGHT-OF-WAY Section 21

A thirty feet (30') wide right-of-way over part of Section 21, Township 3 South, Range 4 West of the Uintah Special Base and Meridian, the centerline of said right-of-way being further described as follows:

Beginning at a point on the South line of said Section, said point being South 89°03' West 1636.46 feet from the Southeast Corner of said Section 21;

Thence North 5°47'39" East 1261.59 feet;

Thence North 48°48'36" East 272.27 feet to an existing road, containing 1.06 acres.

# DESCRIPTION OF RIGHT-OF-WAY Section 28

A thirty feet (30') wide right-of-way over part of Section 28, Township 3 South, Range 4 West of the Uintah Special Base and Meridian, the centerline of said right-of-way being further described as follows:


Beginning at a point on the North line of said Section 28, said point being South 89°03' West 1636.46 feet from the Northeast Corner of said Section 28;

Thence South 5°47'39" West 1818.11 feet, more or less to the North line of the UTEX OIL CO. County 1-28C4 well location, containing 1.25 acres.

#### SURVEYOR'S CERTIFICATE

This is to certify that under my personal supervision a survey was made of the parcels shown on this plat and that said plat was prepared from the field notes of said survey and is true and correct to the best of my knowledge.


Jerry D. Allred, Registered Land
Surveyor, Cert. No. 3817 (Utah)



FOUND 1/4 COR.

# UTEX OIL

WELL LAYO



COMPANY

EXISTING GROUND

LOCATION SURFACE


UT PLAT

-28C4


583/-

Office Contraction of the Contra


LOCATED IN THE SWA OF THE NEW OF SECTION 28, T3S, R4W, U.S.B.&M.



RESERVE PIT




ું ₹



#### QUANTITIES

APPROXIMATE CUT: 11,810 CU. YDS.

APPROXIMATE FILL: 3,200 CU. YDS.



## JERRY D. ALLRED & ASSOCIATES

Surveying & Engineering Consultants

121 North Center Street P.O. Drawer C DUCHESNE, UTAH 84021 (801) 738-5352

## \*\* FILE NOTATIONS \*\*

DATE	:	
	RATOR: Uty Wil Go.	
WELL	NO: 1-2804	
Locat	ition: Sec. <u>28</u> T. <u>35</u> R.	4W County: Muchican
File	Prepared: [1] Ent	ered on N.I.D:
Card	I Indexed: Com	pletion Sheet:
	API Number 43	~013~3062g
CHECK	KED BY:	
	Petroleum Engineer:	
	Director: OK as fur order	in cange 1398
	Administrative Aide: Us per an	der klow- need tops
APPRO	OVAL LETTER:	
	Bond Required:	Survey Plat Required:
(	Order No. 139-8 9/20/72 0	O.K. Rule C-3
1	Rule C-3(c), Topographic Exception - c within a 660' radius of x	company owns or controls acreage proposed site
i	Lease Designation	Plotted on Map
	Approval Letter Wr	itten /
ł	Hot Line P.I.	<u> </u>

#### January 4, 1982

Utex 011 Company 4700 South 9th East Suite #41-B, Salt Lake City, Utah 84117

RE: Well No. County #1-28C4, Sec. 28, T. 3S, R. 4W, Dughesne County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with the Order issued in Cause No. 139-8, dated September 20, 1972.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to <u>immediately</u> notify the following:

CLEON B. FEIGHT - Director Office: 533-5771 Home: 466-4455

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.


The API number assigned to this well is 43-013-30627.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Cleon B. Feight Director

CBF/db CC: OGM Enclosures



## SPUDDING INFORMATION

NAME OF COMPANY:UTEX	OIL COMPANY
WELL NAME: State 1-28C4	<u> </u>
SECTION SWNE 28 TOWNSHIP	3S RANGE 4W COUNTY Duchesne
DRILLING CONTRACTOR Utex	Drilling Company
RIG #2	
SPUDDED: DATE 1-30-82	
TIME 6:00 PM	
How Rotary	
DRILLING WILL COMMENCE	
REPORTED BY Dorothy	·
TELEPHONE # 262-6869	
ΠΔΤ <b>F</b> 2-1-82	SIGNET) C.Furse

ST	ATE OF UTAH	SUBMIT IN TRIPLICATES (Other instructions on re		
OIL & GAS CONS	SERVATION COMMISSION		5. LEASE DESIGNATION FEE	AND BERIAL NO.
SUNDRY NOT	IICES AND REPORTS ON sals to drill or to deepen or plug back ATION FOR PERMIT—" for such propo	WELLS to a different reservoir.	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME
OIL GT GAS	ATION FOR PERMIT— for such propo	(SAIS.)	7. UNIT AGREEMENT NA	IME
WELL XX WELL COTHER  2. NAME OF OPERATOR		<del></del>	8. FARM OR LEASE NA	v/ th
UTEX OIL COMPANY	_		COUNTY	
3. ADDRESS OF OPERATOR		84117	9. WELL NO.	
SUITE 41-B, 4700 S  4. LOCATION OF WELL (Report location of See also space 17 below.)	SOUTH 900 EAST, SALT clearly and in accordance with any State		$\frac{1-28C4}{10. \text{ field and pool, o}}$	R WILDCAT
At surface			Altamont	
1983 FN	NL and 2015 FEL		11. SEC., T., R., M., OR I SURVEY OR AREA	
14. PIRMIT NO.	15. ELEVATIONS (Show whether DF, RT,	OF etc.)	Section 28,	
43-013-30627	5831 Ground Lev	• • • •	Duchesne	Utah
16. Check Ap	opropriate Box To Indicate Natu	re of Notice, Report, or C	Other Data	
NOTICE OF INTEN	TION TO:	SUBSEQ	JENT REPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING V	VELL .
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CA	ISING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMEN	IT*
<del></del>	CHANGE PLANS	(Other) Drilling	of multiple completion	on Well
(Other)  17. DESCRIBE PROPOSED OR COMPLETED OPER	United the state of the state o	Completion or Recompl	etion Report and Log for	m.)
Spudded well at 2:0 1-31-82 thru 2-6-82 Drilling in Uintah Drilled 0 to 2,022' Ran 10 3/4" 40.5# of 2-7-82 thru 2-13-82 Drilling in Uintah Drilled from 2,022'  2-14-82 thru 2-20-8 Drilling in Green E Drilled from 3,595' 2-21-82 thru 2-27-8 Drilling in Green E	Formation casing, cement formation to 3,595' selection to 5,502' selection			
18. I hereby certify that the foregoing is	true and correct			
BIGNED MANGO FOU	DIN TITLE Secr	retary	DATE March	29, 1982
(This space for Federal or State office	e use)			
APPROVED BY			DATE	

	ATE OF UTAH	SUBMIT IN TRIPLICATES (Other instructions on reverse side)	5. LEASE DESIGNATION	7 IND SPECIAL NO.
OIL & GAS CON	SERVATION COMMISSION	verse side;	FEE	AND SERIAL NO.
(Do not use this form for prop Use "APPLIC	TICES AND REPORTS ON osals to drill or to deepen or plug back cation FOR PERMIT—" for such propor	WELLS to a different reservoir.	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME
OIL XX GAS OTHER			7. UNIT AGREEMENT N	AMB
2. NAME OF OPERATOR			8. FARM OR LEASE NA	XB
UTEX OIL COMPANY		·	COUNTY	A graff
	SOUTH 900 EAST, SALT clearly and in accordance with any Stat	84117 LAKE CITY, UTAH	9. WELL NO. 1-28C4	
4. LOCATION OF WELL (Report location See also space 17 below.) At surface	clearly and in accordance with any Stat	e requirements.	10. FIELD AND POOL, O	R WILDCAT
	and the		Altamont 11. BEC., T., R., M., OR I	BLE, AND
1983 F	NL and 2015 FEL			
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT,		Section 28,	•
43-013-30627	5831 Ground Lev	/el	Duchesne	Utah
16. Check A	ppropriate Box To Indicate Natur	re of Notice, Report, or O	ther Data	
NOTICE OF INTE	TO ROITS	BUBSEQU	ENT REPORT OF:	
	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING V	WELL
	MULTIPLE COMPLETE ABANDON®	FRACTURE TREATMENT	ALTERING C.	-     -     -   -   -   -     -
	CHANGE PLANS	(Other) Drilling	ABANDONME	NT*
(Other)		(Norr: Report results of Completion or Recomple	of multiple completion	on Well
2-28-82 thru 3-6-8 Drilling in Green Drilled from 6,993 Logging with Schlu Run 7 5/8" casing,	River Formation ' to 7,729' mberger			
3-7-82 thru 3-15-8 Drilling in Wasatc Drilled from 7,729	h Formation			
3-16-82 thru 3-22- Drilling in Wasatc Drilled from 9,185 TD 10,005' on 3-21 Run 5" liner and c	h Formation ' to 10,005' -82			
3-23-82 thru 3-26-10,005 TD, cementing of liner at 7,4 RIG RELEASE AT 8:00	ng, ran 5" 18# casin 497'	g		
18. I hereby certify that the foregoing is	true and correct			
BIGNED MAIGO FO	MOCA TITLE Secr	etary	DATE March	29, 1982
(This space for Federal or State office	re use)			
APPROVED BY	TITLE	****	DATE	

#### UTEX OIL COMPANY

SUITE 41B 4700 SOUTH 9TH EAST SALT LAKE CITY, UTAH 84117 PHONE 801 - 262-6869

March 29, 1982

Department of Natural Resources Division of Oil, Gas and Mining 4241 State Office Building Salt Lake City, Utah 84114

Re: County 1-28C4

Section 28, T3S, R4W Duchesne County, Utah

Gentlemen:

Enclosed please find the well report, in triplicate, for the above captioned well.

If you have any questions, please feel free to call.

Sincerely,

Margo Larsen

Enclosures

RECEIVED)

APR 0 2 1982

DIVISION OF OIL, GAS & MINING

SUBMIT IN DUPLICATE.

(See other in-structions on reverse side)

5.	LEASE	DESIGNATION	AND	SERIAL	NO

#### STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

										1		
WELL CO	MPLETIC	IO NC	R RECO	MPLE1	ION	REPORT	AN	D LO	G *	6. IF INDIAN	, ALLOT	TEE OR TRIBE NAME
1a. TYPE OF WEL		OIL.	· · · · · · · · · · · · · · · · · · ·	<del></del>	DRY 🗌	Other		<del></del>		7. UNIT AGR	EEMENT	NAME
b. TYPE OF COM	PLETION:	WELL C	J WELL L			Other						
NEW XX	WORK OVER	DEEP-	PLUG DACK	DIF	F. svr.	Other				S. FARM OR	LEASE 3	VAME
2. NAME OF OPERAT		_				- <del></del>				Cour	nty	
	tex 0il	Compar	าy							9. WELL NO.		
3. ADDRESS OF OPE				C - 1 +	1 - 1 -	0:1	11 I	04117		1-28		
Suite 41-B,						-				ľ		OR WILDCAT
4. LOCATION OF WE	1983' FN			accoraanc	e with an	y State requ	iremeni			l		ET WILDE
			10 IEE							OR AREA		
At top prod. int	erval reporte	ed below	10							Sec. 28	3, T3	S-R4W, USM
At total depth			$\mathcal{O}_{L_{i}}$		S S S		ا کا است					
		6	<i>!</i> ~	14. PI	ERMIT NO.		DATE	ISSUED		12. COUNTY PARISH	OR	13. STATE
				43-	013-30	06.278	.1-4	-82		Duhcesne	9	Utah
15. DATE SPUDDED	16. DATE T	.D. REACHI	ED   17. DAT	E COMPL.	(Ready t	o prod.) 1	8. ELEV	ATIONS (I	F, RKB, I	T, GR, ETC.)*	19. E	EV. CASINGHEAD
1-30-82	3-21-			3-82				831 G			<u>                                     </u>	
20. TOTAL DEPTH, MD	▲ TVD 21.		K T.D., MD &	TVD 2	2. IF MUL HOW M	TIPLE COMPLIANT	··•	23. INTI	CRVALS	ROTARY TOO	LS	CABLE TOOLS
10,000		9,9				en ive muni			<b>→</b>	0-TD	1 25	None WAS DIRECTIONAL
24. PRODUCING INTER			LETION-TOP	, BOTTOM,	, NAME (A	MU AND TVU)	•				20.	SURVEY MADE
Wasatch 89	889/53	3*										NO
26. TYPE ELECTRIC A	ND OTHER LO	OGS RUN		· · ·							27. WA	S WELL CORED
C DIR	CN-ED>											NO
28.			CASI	NG RECO	ORD (Rep	ort all string	s set in	well)				
CASING SIZE	WEIGHT,	LB./FT.	DEPTH SE	T (MD)	-	LE SIZE		CEN	ENTING	RECORD	I.	AMOUNT PULLED
10 3/4"	40.5	· · · · · · · · · · · · · · · · · · ·	1,007			3/4"	_ !			G w/addi	tive	
7 5/8"	20.4 8	29.7	7,730'		9 7	7/8"	98	0 sx v	v/add	itives.	_	None
	_	<del></del>			.		-				-	
		T TANTA	D DECOND			<del></del>	<del>                                     </del>	-		WIDING DEG	222	
29.	TOP (MD)		R RECORD	SACKS C	TVPVT9	SCREEN (A	(2)	30.		CUBING RECO		PACKER SET (MD)
5"	7497'		000'	388		SCREEN (B	-	2 7/8		3,800'	-,	8,800'
	1431		,000				-	2 3/8		5,000		heat string
31. PERFORATION REC	ORD (Interva		i number)	2076 0		32.	ACI		<del></del> _	URE, CEMENT	<u>.</u>	
	570 <b>-</b> 78	922]		9076-8		DEPTH IN	TERVAL	(MD)	AM	OUNT AND KIN	D OF M	TERIAL USED
9738-44 99				3988-9		8988-	9753		15,00	00 gal. 1	5% H	CL
	290-9304 276-82		3-11 S 3-9206	9472-7	D							
	270-62 250-56	9086										
	230-30	3000	<del></del>			<u> </u>						
33.* DATE FIRST PRODUCTI	ION I R	PODUCTION	WETHON (F	losning a		DUCTION umping—size	and to			1 mmer	am 1 m// a	(Producing or
6/3/82		Flowi		towing, y	· · · · · · · · · · · · ·	**************************************	ana sy	pe oj pun	φ,		t-in\	roducing
DATE OF TEST	HOURS TEST		HOKE SIZE	PROD'	N. FOR	OIL—BÉL.		GAS-MC	F.	WATER-BBL		AS-OIL BATIO
6/3/82	15		20/64		PERIOD	216	ļ	277		90	1	1.28:1
FLOW, TUBING PRESS.	CASING PRE		ALCULATED	oir—	BBL.	GAS-	-MCF.		WATER-	<u> </u>	1	VITY-API (CORR.)
250	-0-	2	4-HOUR RATE	<b>6</b> 34	6	4	43	1	144	4	4	5
34. DISPOSITION OF GA	AS (Sold, used	d for fuel,	vented, etc.)							TEST WITNES	SED BY	
Flared pen		pletic	on of ga	s lin	e					D.	Bauc	um
35. LIST OF ATTACHS	STRIM											:
20 7 5	AS-2 AS-2	· · · · · · · · · · · · · · · · · · ·										<u> </u>
36. I hereby certify	that the fore	egoing and	attached in	rormation	18 comp	lete and corr	oct as	determine	d from	all available r	ecords	
SIGNED	11 150	ins	la	TI	TLE Z	KiSi	<u>.</u>			DATE	6/2	4/82
,					7							

# NSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency or be both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

should be listed on this form, see item 35.

When 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Hem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

BHOW ALL IMPO DEPTH INTERVAL	RTANT ZONES OF PC L TESTED, CUSHION	OROSITY AND CONTENTS THE USED, TIME TOOL OPEN, FI	BHOW ALL IMPORTANT ZONES OF POROSITI AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, PLOWING AND SHUT-IN PRESSURES, AND BECOVERIES	38. GEOLOC	GEOLOGIC MARKERS	
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.		TOP	Į.
				HAP.	MBAS. DEPTE	TRUB VBRT. DEPTH
				Wasatch	8606	
				**************************************		
	. 1					



SUITE 41B 4700 SOUTH 9TH EAST SALT LAKE CITY, UTAH 84117 PHONE 801 - 262-6869

June 24, 1982

State of Utah Department of Natural Resources Division of Oil, Gas & Mining 4241 State Office Building Salt Lake City, Utah 84114

#### Gentlemen:

Enclosed please find duplicate copies of the completion report for the 1-28C4 well located in Section 28, T3S-R4W, USM, Duchesne County, Utah.


Copies of all logs run are being sent under seperate cover.

We hereby request that all information submitted relative to this well be held confidential for the maximum allowable period of time.

If I may be of further assistance, please advise.

Sincerely,

D. T. Hansen



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Diagne R. Nielson, Ph.D., Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

April 18, 1984

Utex Oil Company Attn. D.C. Hansen 4700 South 9th East Salt Lake City, Utah 84117

> RE: Well No. 1-28C4 API #43-013-10628 Sec. 28, T. 3S, R. 4W. Duchesne County, Utah

Dear Ms. Hansen:

In preparing our files for data entry we have found a error on the original approval letter for the above well. There was a typographical error on the API number. The API number should read 43-013-30628 instead of 43-013-30627.

Please accept this letter as official notification as to the correct number and use it on all future correspondence regarding this well.

We regret any inconvenience this may cause and appreciate your cooperation in this matter.

Respectfully,

Claudia Jones

Well Records Specialist

Claudia Jones

CLJ/c1

## merly (1-331)

#### D STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUBMIT IN	ATE
(Other lustrerse side)	Dore

ໍ້ 1-	4_20	LUCA	-9A1	5.	12
S:/LEAR	SE DEA	IGNATIO	N AND	BERIAL	NO.
		Augus			
		12/11/11			

- L XI	1105	Mugust	34.	10.8		
/LEASE	DESIG	MOITARE	AND	128	AL	NO.
14	-20-	H62-	<del>30</del> 4	5	1	E

200 Entro of Entro matragement	1 17-20-1102-30-3
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals.)	`d
ATTENDATION FOR TERMIT— for such proposals.)	Ute
OIL NTV GAR	7. UNIT AGREEMENT NAME
WELL GAB OTHER	N/A
2. NAME OF OPERATOR	8. FARM OR LEASE NAME
UTEX OIL COMPANY	County
3. ADDRESS OF OPERATOR	9. WELL NO.
1245 E. Brickyard Rd., Ste. 600, Salt Lake City, Utah 84106	1-28C4
4. Location of well (Report location clearly and in accordance with any State requirements.*  See also space 17 below.)	10. FIELD AND POOL, OR WILDCAT
At surface	Altamont/Bluebell
1,983' FNL; 2,015' FEL SW¼NE⅓	11. SRC., T., R., M., OR BLK. AND SURVEY OR AREA
	Sec. 28, T3S, R4W
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OF PARISH 13. STATE
43-013-3062 <sup>#</sup> 5,831' GL	Duchesne   Utah
16.	

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF EEPAIRING WELL FRACTURE TREAT MULTIPLE COMPLETE ALTERING CASING  $\overline{XX}$ SHOOT OR ACIDIZE ABANDON\* SHOOTING OR ACIDIZING REPAIR WELL CHANGE PLANS (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) Others

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and gones pertinent to this work.)

Utex proposes to abandon the County 1-28C4 as per the attached procedure.

The well will be abandoned upon government approval. Reseeding and reclamation will take place by October 31, 1986

FEB 28 1986

**DIVISION OF** OIL, GAS & MINING

ACCEPTED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING

3-19-86 DATE: 18. I hereby certify that the foregoing is true and correct TITLE (This space for Federal or State office use) APPROVED BY TITLE DATE CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

Federal approval of this action is required before commencing operations.

#### WORKOVER PROCEDURE

#### COUNTY 1-28C4

#### WELL DATA

Elevation: 5,831' GL; 5,851' KB

Depths: TD 10,000'; PBTD 9,878' (5/9/82)

Casing: 10-3/4", 40.5#, K-55 @ 1,007'

Cemented to surface with 975 sx

7-5/8", 26.4# & 29.7#, N-80 @ 7,730'

Cemented with 980 sx

5", 18#

0 7,497' - 10,000'

Cemented with 388 sx

Tubing: 2-7/8", 6.5#, N-80, AB, DSS-HT

2-3/8", 4.7#, N-80, DSS-HT

Packer: Baker Lok-Set @ 7,400'

Perforations: 8,988' - 9,756', 113' net, 339 shots

#### **PROCEDURE**

- 1. Pump well for several days to draw down any built up pressure.
- 2. Move in, rig up service unit. Nipple down wellhead. Nipple up B.O.P.
- 3. Pull out of hole with 2-3/8" tubing. Lay down 2,500'. Change equipment, pull out of hole with 2-7/8" tubing, packer and spill tube assembly.
- 4. Run in hole with open-ended tubing. Tag PBTD. Pick up 10 feet. Spot 265 cubic feet cement. (Top should be at 7,400'±.) Pick up 20 stands above cement top, pump 10 barrels water down tubing to clear it of cement. Wait on cement overnight.
- 5. Run in hole and tag cement. Pressure test to 1,000#. Displace hole with 10# mud to 1,100'. Lay down tubing coming out of hole.

CONFIDENTIAL PEB 28 1986

DIVISION OF OIL. GAS & MINING Workover Procedure County 1-28C4 February 3, 1986 Page -2-

- 6. Run in hole with perforating gun, perforate 4 squeeze holes at 1,100'. Pull out of hole with gun. Establish circulation down 7-5/8" casing and up 10-3/4" and 7-5/8" annulus.
- 7. Pump 550 cubic feet cement down 7-5/8" and up 10-3/4" 7-5/8" annulus. Displace 2' below ground level. Shut in well. Nipple down B.O.P. Nipple up wellhead. Rig down service unit.
- 8. Cut casing off. Cement wellhead marker in 7-5/8" casing. Put cement down 7-5/8" 10-3/4" annulus if necessary.
- 9. Rehabilitate location.



DIVISION OF OIL, GAS & MINING

CONFIDENTIAL

COUNTY 1-28C4 103/4", 40,5 # K-55 1007' emt'd to surface w/ 975 sx 2 78", 6.5 ", N-80, AB DSS-HT 7325' 23/8", 4.1", DSS-HT, N-80 SPILL TUBE ASSEMBLY 7400' BAKER LOK-SET 74971 OF 5" LINER TOP 75/8 26.4 \$ 29.7 # N-80 7730' emt'd w/ 980 sx TOP PERFORATION 89881 113 NET 339 PERFORATIONS FEB 28 1986 DIVISION OF OIL, GAS & MINING 9756' BOTTOM SERFORATION 9878' PBTD (5-9-82) 5", 18 t cm+d w/ 388 sx

i V	Particle Parent No. 1004-012 Expires August 31, 1985  5. LEASE DESIGNATION AND SERIAL NO.
SUNDRY NOTICES AND REPORTS ON WELLS	14-20=H62-3045 / 1 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT" for such proposals.)	Ute Tribe
OIL GAB GAB OTHER	7. UNIT AGREEMENT NAME N/A
2. NAME OF OPERATOR UTEX OIL COMPANY	8. FARM OR LEASE NAME COUNTY
1245 E. Brickyard Rd., Ste. 600, Salt Lake City, Utah 84106	9. WHILL NO. 1-28C4
At surface	10. FIELD AND POOL, OR WILDCAT Altamont/Bluebell
1,983' FNL; 2,015' FEL	11. SEC., T., R., M., OR BLE. AND SUBVEY OR AREA

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL FRACTURE TREAT FRACTURE TREATMENT ALTERING CABING SHOOT OR ACIDIZE A R A N D O N P SHOOTING OR ACIDIZING ABANDON MENT® REPAIR WELL CHANGE PLANS (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other)

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

KB

5,831'

14. PERMIT NO.

16.

43-013-30627

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) \*

The above well was plugged and abandoned as per the procedure approved by the Bureau of Land Management, as shown in the attached wellbore diagram. Modifications to the written procedure were approved by BLM personnel on location.

DIVISION OF OL MAS & MIMING

S, R4W, USM

Utah

12. COUNTY OF PARISH | 13. STATE

Duchesne

18. I hereby certify that the foregoing is true and cor		
SIGNED SIGNED	TITLE Production Secre	tary 5/7/86
(This space for Federal or State office use)		
APPROVED BY	TITLE	ACCEPTED BY THE STATE
CONDITIONS OF APPROVAL, IF ANY:		OF UTAH DIVISION OF
		OIL. GAS. AND MINING
	*See Instructions on Reverse Side	DATE: 75-12-86

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the

United States any faise, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

	API # 43013 3062	WSTC	·	<del>,                                     </del>	
WELL PROFILED) S (C		Ca	sing	Liner	Tubing
	ONE MORE CENTY 1-28C4	SIZE	<u> </u>		
MA.	(27 1900				
D	FIELD ALTAMONT VISION OF AS & MINING DUCHESNE	WEIGHT			
	STATE UTAL	GRADE	···		
	DATE 3-26-86	THREAD			
	☐ NEW COMPLETION ☐ WORKOVER	DEPTH			
	ITEM		<u> </u>	1	
	NO. EQUIPMENT AND SER	VICES			
4.4	103/4", 40.5# Csg 1007 75/8" 26.4#AND 29.7# Csg.	7777			
	75/8" 26.4 AND 29.7 # CSg. 5" 18# CSq 2503"	7,130	· //	7,000	
	Pumped Cement From PE	3TD (98		;)	
103/4" 1007	up to 7431' Circulated	hole F	-ul		
40.5	OWP perforated 4-3/4	0 1,100 (1	0#1	nud)	
75/8	100' Pumped Cement &				
	and returned up 103/4" (s	a to su	fac	<del>ينع آ</del> دو.	
10 mus	Welded cap + Dry ho	Le mar	Kev		
	on top.			, <u>.</u>	
7,431					
7497'					
75/8 29.7#					
29./					
7730					
	COMMENTS:				
					A
					٠
9,878' PBTD					
10 000' TO	PREPARED BY OFFICE  L, REHELS Prairie	6010		HONE	
10,000	1142 h				-4166
State of Natural R	esources 3 Triad Center Mining 5LC, Ut. 84180	Suite 35	OI	UNI	AIN
011,625 8				ST	ATES
Oil to Gas po	rogram 4tt. Jimmiz Th	ompson			OIL TOO

Aurora, CO 303-366-2575

Grand Junction, CO 303-245-7888

Sterling, CO 303-522-8880

Farmington, NM 505-325-5001

Vernal, UT 801-789-7121

\_3

CODE ( INTL NAME NORM TAMI VICKY AUDIA STEPHANE CHARLES RULA MARY ALICE CONNIE MILLIE PAM Required Action Code

1. Data Entry

2. Filming

3. Posting

a. Card Index b. File Label
c. Lists
Bonding Verification
Other (See Norm) もずらずばらることに は対けではいる。 Well records, Please

AM AMI ICKY LAUDIA TEPHANE HARLES ULA ARY ALICE ONNIE ILLIE		
EXPRESS I	MAIL ROUTING SLI	<u>LP</u>
AM AMI ICKY LAUDIA TEPHANE HARLES JLA ARY ALICE DNNIE ILLIE		
NAME NORM TAMI VICKY CLAUDIA STEPHANE	ACTION CODE(S)	INTL
CHARLES RULA MARY ALICE CONNIE MILLIE PAM	FILE	Ren

Other (See Norm)

ROUTING / ACTION FORM

			<u> </u>	
SEQ	NAME	ACTION	7	INTL
	NORM		•	27
	TAMI	3A, 5		$\sim$
	VICKY		` /	
	CLAUDIA			G
	STEPHANE			
	CHANLES			9
	RULA.		4 - 1. 1 <b>3</b> - 1.	Km/
	MARY ALICE			· .
	CONNIE			
	MILLIE			
	RON		 :	
	JOHN		۴.,	
-	GIL			
	<u> </u>	<u> </u>		
				· · · · · · · · · · · · · · · · · · ·
		•	•	
			<u> </u>	
	PAM	1 4, 5, 12		Le.
			•	ľ

	ACTION CODE
NOTES:	1- DATA ENTER
-	2- FIUM.
	3- POST
$\alpha = 1$	A - CARD FILE
PEH	B- FILE LABEL
	C-LISTS
	4- FILE
	5-RELOCATE FILE OF CARD
	6- DECISION
12- PANI, PLEASE CHECK ON	7 - PREPARE LETTER
THE COMPLETION REPORT	
·	
TIF FILE HAS ALAEADY ISCER	
FLUMED, POUTE THIS TO AULA	
	12- OTHER - SEE NOTES
FOR UPDATE FLUMING	